

# Pegler Proflow

Bronze circulation valve. 50°C - 60°C adjustable range. Female x female

P605 Thermo circulation valve



P605 Thermo circulation valve

## General Information

Size	Pattern No.	Pack 1 Qty	Pack 2 Qty	Code	Barcode	Price (£) each ex VAT
DN15	P605	1	8	<u>16502</u>	4016715068453	£194.67
DN20	P605	1	0	<u>16503</u>	4016715070548	£226.09
DN25	P605	1	0	<u>16504</u>	4016715075031	£265.57

## Dimensions

Code	Description	A	B	C	D	E	Pressure & Temperature	
16502	1/2" DN15	98	75	36	98	136	1	fxf 50°-60°C
16503	3/4" DN20	125	75	45	125	147	1	fxf 50°-60°C
16504	1" DN25	136	75	52	136	150	1	fxf 50°-60°C

Pegler Yorkshire reserve the right to change specifications

## Guarantee

### Pegler 5 Year Guarantee - Terms and Conditions

Products are subject to a 5 year guarantee that is between Pegler and the final purchaser of the product.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the consumer may have in law.

The guarantee covers manufacturing or material defects when installed in accordance with our instructions on specified tube materials and applications, and does not cover parts subject to normal wear and tear.

This product range has been designed for the use of homeowners, domestic and commercial applications and therefore the Guarantee is subject to the product being properly selected for their intended service conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions in the fitting instructions.

This is reinforced where valves are covered by the European Pressure Equipment Directive (PED97/23/EC) where Installation, Operating and Maintenance Instructions are supplied with each product and/or carton.

Provided it is installed correctly and receives adequate preventative maintenance it should give years of trouble-free service.

Abusive behaviour and accidental damage to the product are not covered by this guarantee.

The extent of this liability is limited to the cost of the replacement of the defective item and not to installation or consequential damages.

## Materials

Component	Material
Body	Gunmetal
Valve washer	EPM/PTFE
Adjuster	EPP, B2
Thermal actuator	Gunmetal

Component	Material
Drain valve body	Gunmetal
Valve outlet	Gunmetal

### Technical Suitability

Steam	Water	Oil	Air	Gas	Inert Gas	Combustible†	Gas	Corrosive††	Gas	Oxygen
no	yes	no	no	no	no			no		no

Pegler Yorkshire reserve the right to change specifications

### **Gas application guide**

Class 1. INERT Air, argon, carbon dioxide, helium, nitrogen

Class 2. COMBUSTIBLE Hydrogen, methane, natural gas, town gas

Class 3. CORROSIVE Chlorine, sulphur dioxide Class 4. OXYGEN

Class 1. INERT Air, argon, carbon dioxide, helium, nitrogen

† Valves are suitable for British Gas Applications Family Gases 1, 2 and 3.

†† Suitable in applications where moisture is completely absent.