

# Pegler Proflow

## Venturi steel double regulating valve (DRV)


901XS Venturi double regulating valve



### General Information

Size	Pattern No.	Pack 1 Qty	Pack 2 Qty	Code	Barcode	Price (£) each ex VAT	Discontinued	Date Discontinued
65mm	901XS	1	0	<a href="#">15056</a>	5708537255560	Disc(Out of Stock)	Discontinued	17/09/2021
80mm	901XS	1	0	<a href="#">15057</a>	5708537255577	Disc(Out of Stock)	Discontinued	17/09/2021
100mm	901XS	1	0	<a href="#">15058</a>	5708537255584	Disc(Stock available)	Discontinued	17/09/2021
125mm	901XS	1	0	<a href="#">15059</a>	5708537255591	Disc(Stock available)	Discontinued	17/09/2021
150mm	901XS	1	0	<a href="#">15060</a>	5708537255607	Disc(Stock available)	Discontinued	17/09/2021
200mm	901XS	1	0	<a href="#">15061</a>	5708537255614	Disc(Stock available)	Discontinued	17/09/2021
250mm	901XS	1	0	<a href="#">15062</a>	5708537255621	Disc(Stock available)	Discontinued	17/09/2021
300mm	901XS	1	0	<a href="#">15063</a>	5708537255638	£2853.07		

901XS Venturi double regulating valve



### Dimensions

Code	Description	A	B	C	D	No. of holes
15063	DN300 901XS	78	460	535	250	12
						48.70

Pegler Yorkshire reserve the right to change specifications

### Flow Rate

Size	Pattern No.	Code	Kvs m3/h	Kv m3/h	Loss Factor
300mm	901XS	15063 -		7761	-

Pegler Yorkshire reserve the right to change specifications

### Guarantee

#### Pegler 5 Year Guarantee - Terms and Conditions

Products are subject to a 5 year guarantee that is between Pegler and the final purchaser of the product.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the consumer may have in law.

The guarantee covers manufacturing or material defects when installed in accordance with our instructions on specified tube materials and applications, and does not cover parts subject to normal wear and tear.

This product range has been designed for the use of homeowners, domestic and commercial applications and therefore the Guarantee is subject to the product being properly selected for their intended service conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions in the fitting

instructions.

This is reinforced where valves are covered by the European Pressure Equipment Directive (PED97/23/EC) where Installation, Operating and Maintenance Instructions are supplied with each product and/or carton.

Provided it is installed correctly and receives adequate preventative maintenance it should give years of trouble-free service.

Abusive behaviour and accidental damage to the product are not covered by this guarantee.

The extent of this liability is limited to the cost of the replacement of the defective item and not to installation or consequential damages.

## Materials

Component	Material
Body	Cast Iron
Spindle	Stainless Steel
Gaskets	PTFE
'O' rings	EPDM

## Flange Data

Size	Code	Flange Diameter (mm)	Pitch Circle Diameter (mm)	No of Bolts	Bolt Diameter (mm)	Hole Diameter (mm)	Raised Face Diameter (mm)	Raised Face Height (mm)	Thickness of Flange (mm)
65mm	15056	185	145	4 (2)	M16	19	-	-	20
80mm	15057	200	160	8	M16	19	-	-	22
100mm	15058	220	180	8	M16	19	-	-	24
125mm	15059	250	210	8	M16	19	-	-	26
150mm	15060	285	240	8	M20	23	-	-	26
200mm	15061	340	295	12	M20	23	-	-	30
250mm	15062	405 (2)	355	12	M24	28	-	-	32
300mm	15063	460 (2)	410	12	M24	28	-	-	32

Pegler Yorkshire reserve the right to change specifications

## Technical Suitability

Steam	Water	Oil	Air	Gas	Inert Gas	Combustible†	Gas Corrosive††	Gas Oxygen
no	yes	no	no	no	no	no	no	no

Pegler Yorkshire reserve the right to change specifications

## Gas application guide

Class 1. INERT Air, argon, carbon dioxide, helium, nitrogen

Class 2. COMBUSTIBLE Hydrogen, methane, natural gas, town gas

Class 3. CORROSIVE Chlorine, sulphur dioxide Class 4. OXYGEN

Class 1. INERT Air, argon, carbon dioxide, helium, nitrogen

† Valves are suitable for British Gas Applications Family Gases 1, 2 and 3.

†† Suitable in applications where moisture is completely absent.